

# Administrivia

Midterm next Thursday

In class

1 cheat sheet 8x11 page both sides


practice exams online

student-created study guide on scribenotes

Project 1 Part 1 grades out tonight/early weds


# Triggers (background)

- Recall that a database instance is the database schema + the specific records
- Changing a DB instance essentially creates a new DB instance because the records are different. Let's call each instance a "version" of the DB
- Let's say we made 3 separate changes




# Triggers (background)

- When/where can we add trigger logic?



- At what granularity?



Does a SELECT query create a new version?

No

# Triggers (logical)

def: procedure that runs automatically if specified changes in DBMS happen

```
CREATE TRIGGER name
```

**Event** activates the trigger

**Condition** tests if triggers should run

**Action** what to do

# Triggers (logical)

def: procedure that runs automatically if specified changes in DBMS happen

```
CREATE TRIGGER name  
    [BEFORE | AFTER | INSTEAD OF] event_list  
    ON table
```

**Event** activates the trigger

**Condition** tests if triggers should run

**Action** what to do

# Triggers (logical)

def: procedure that runs automatically if specified changes in DBMS happen

```
CREATE TRIGGER name  
    [BEFORE | AFTER | INSTEAD OF] event_list  
    ON table  
  
    WHEN trigger_qualifications
```

**Event** activates the trigger

**Condition** tests if triggers should run

**Action** what to do

# Triggers (logical)

def: procedure that runs automatically if specified changes in DBMS happen

```
CREATE TRIGGER name  
  [BEFORE | AFTER] event_list  
  ON table  
  [FOR EACH ROW]  
  WHEN trigger_qualifications  
  procedure
```

**Event** activates the trigger

**Condition** tests if triggers should run

**Action** what to do

# Copy new young sailors into special table

(logical)

```
CREATE TRIGGER youngSailorUpdate
  AFTER INSERT ON SAILORS
  REFERENCING NEW TABLE NewInserts
  FOR EACH STATEMENT
  INSERT
    INTO YoungSailors(sid, name, age, rating)
    SELECT sid, name, age, rating
    FROM NewInserts N
    WHERE N.age <= 18
```

**Event** activates the trigger

**Condition** tests if triggers should run

**Action** what to do



# Copy new young sailors into special table (logical)

```
CREATE TRIGGER youngSailorUpdate
  AFTER INSERT ON SAILORS
  FOR EACH ROW
  WHEN NEW.age <= 18
  INSERT
    INTO YoungSailors (sid, name, age, rating)
    VALUES (NEW.sid, NEW.name, NEW.age, NEW.rating)
```

**Event** activates the trigger

**Condition** tests if triggers should run

**Action** what to do

# Triggers (logical)

Can be complicated to reason about

Triggers may (e.g., insert) cause other triggers to run

If >1 trigger match an action, which is run first?

¯\\_(\ツ)\\_/¯

```
CREATE TRIGGER recursiveTrigger
  AFTER INSERT ON SAILORS
FOR EACH ROW
  INSERT INTO Sailors(sid, name, age, rating)
    SELECT sid, name, age, rating
    FROM Sailors S
```

# Triggers vs Constraints

## Constraint

Statement about state of database

Upheld by the database for *any* modifications

Doesn't modify the database state

## Triggers

Operational: X should happen when Y

Specific to statements

Very flexible

# Triggers (postgres)

```
CREATE TRIGGER name
  [BEFORE | AFTER] event_list
  ON table
  FOR EACH (ROW | STATEMENT)
  WHEN trigger_qualifications
  EXECUTE PROCEDURE user_defined_function();
```

PostgreSQL only runs *trigger* UDFs

<http://www.postgresql.org/docs/9.1/static/sql-createtrigger.html>

<http://www.postgresql.org/docs/9.1/static/plpgsql-trigger.html>

# Trigger Example

```
CREATE FUNCTION copyrecord() RETURNS trigger
AS $$
BEGIN
    INSERT INTO blah VALUES(NEW.a);
    RETURN NEW;
END;
$$ LANGUAGE plpgsql;
```

Signature: no args, return type is trigger

Returns NULL or same record structure as modified row

Special variables: OLD, NEW

```
CREATE TRIGGER t_copyinserts BEFORE INSERT ON a
FOR EACH ROW
EXECUTE PROCEDURE copyrecord();
```

<http://www.postgresql.org/docs/9.1/static/sql-createtrigger.html>

<http://www.postgresql.org/docs/9.1/static/plpgsql-trigger.html>

# Total boats and sailors < 100

```
CREATE FUNCTION checktotal() RETURNS trigger
AS $$
BEGIN
    IF ((SELECT COUNT(*) FROM sailors) +
        (SELECT COUNT(*) FROM boats) < 100) THEN
        RETURN NEW
    ELSE
        RETURN null;
    END IF;
END;
$$ LANGUAGE plpgsql;
```

```
CREATE TRIGGER t_checktotal BEFORE INSERT ON sailors
FOR EACH ROW
EXECUTE PROCEDURE checktotal();
```

<http://www.postgresql.org/docs/9.1/static/sql-createtrigger.html>

<http://www.postgresql.org/docs/9.1/static/plpgsql-trigger.html>

# You can get into trouble...

```
CREATE FUNCTION addme_bad() RETURNS trigger
AS $$
BEGIN
    INSERT INTO a VALUES (NEW.*);
    RETURN NEW;
END;
$$ LANGUAGE plpgsql;
```

```
CREATE TRIGGER t_addme_bad BEFORE INSERT ON a
FOR EACH ROW
EXECUTE PROCEDURE addme_bad();
```

<http://www.postgresql.org/docs/9.1/static/sql-createtrigger.html>

<http://www.postgresql.org/docs/9.1/static/plpgsql-trigger.html>

# You can get into trouble...

```
CREATE FUNCTION addme_stillwrong() RETURNS trigger
AS $$
BEGIN
    IF (SELECT COUNT(*) FROM a) < 100 THEN
        INSERT INTO a VALUES (NEW.a + 1);
    END IF;
    RETURN NEW;
END;
$$ LANGUAGE plpgsql;
```

```
CREATE TRIGGER t_addme_stillwrong BEFORE INSERT ON a
FOR EACH ROW
EXECUTE PROCEDURE addme_stillwrong();
```

<http://www.postgresql.org/docs/9.1/static/sql-createtrigger.html>

<http://www.postgresql.org/docs/9.1/static/plpgsql-trigger.html>



# You can get into trouble...

```
CREATE FUNCTION addme_works() RETURNS trigger
AS $$
BEGIN
    IF (SELECT COUNT(*) FROM a) < 100 THEN
        INSERT INTO a VALUES (NEW.a + 1);
    END IF;
    RETURN NEW;
END;
$$ LANGUAGE plpgsql;
```

```
CREATE TRIGGER t_addme_works AFTER INSERT ON a
FOR EACH ROW
EXECUTE PROCEDURE addme_works();
```

<http://www.postgresql.org/docs/9.1/static/sql-createtrigger.html>

<http://www.postgresql.org/docs/9.1/static/plpgsql-trigger.html>

# WITH

```
WITH RedBoats(bid, count) AS
  (SELECT  B.bid, count(*)
   FROM    Boats B, Reserves R
   WHERE   R.bid = B.bid AND B.color = 'red'
   GROUP BY B.bid)
SELECT   name, count
FROM     Boats AS B, RedBoats AS RB
WHERE    B.bid = RB.bid AND count < 2
```

Names of unpopular boats

# WITH

```
WITH RedBoats(bid, count) AS
    (SELECT  B.bid, count(*)
     FROM    Boats B, Reserves R
     WHERE   R.bid = B.bid AND B.color = 'red'
     GROUP BY B.bid)
SELECT     name, count
FROM       Boats AS B, RedBoats AS RB
WHERE     B.bid = RB.bid AND count < 2
```

```
WITH tablename(attr1, ...) AS (select_query)
    [,tablename(attr1, ...) AS (select_query)]
main_select_query
```

# Recursive WITH

```
WITH RECURSIVE t(n) AS (  
    VALUES (1)  
    UNION [ALL]  
    SELECT n+1 FROM t  
)  
SELECT sum(n) FROM t;
```

Is there a problem with this query?

# Recursive WITH

```
WITH RECURSIVE t(n) AS (  
    VALUES (1)  
    UNION [ALL]  
    SELECT n+1 FROM t WHERE n < 10  
)  
SELECT sum(n) FROM t;
```

# Fibonacci Series up to 50

```
WITH RECURSIVE fib(n,m) AS (  
    VALUES (0,1)  
    UNION  
    ???  
  
)  
SELECT distinct n  
    FROM fib  
    WHERE n < 50;
```

# Fibonacci Series up to 50

```
WITH RECURSIVE fib(n,m) AS (  
    VALUES (0,1)  
    UNION  
    SELECT m,n+m FROM fib  
  
)  
SELECT distinct n  
    FROM fib  
    WHERE n < 50;
```

# Fibonacci Series up to 50

```
WITH RECURSIVE fib(n,m) AS (  
    VALUES (0,1)  
    UNION  
    SELECT m,n+m FROM fib  
    WHERE n < 50  
)  
SELECT distinct n  
    FROM fib  
    WHERE n < 50;
```



# Views

```
CREATE VIEW view_name  
AS select_statement
```

“tables” defined as query results rather than inserted base data

Makes development simpler

Used for security

Not *materialized*

References to *view\_name* replaced with *select\_statement*

Similar to WITH, lasts longer than one query

# Names of popular boats

```
CREATE VIEW boat_counts
AS SELECT      bid, count(*)
   FROM        Reserves R
   GROUP BY    bid
   HAVING      count(*) > 10
```

## Used like a normal table

```
SELECT bname
FROM   boat_counts bc, Boats B
WHERE  bc.bid = B.bid
```

```
SELECT bname
FROM
  (SELECT bid, count(*)
   FROM Reserves R
   GROUP BY bid
   HAVING count(*) > 10) bc,
  Boats B
WHERE  bc.bid = B.bid
```

Names of popular boats

Rewritten expanded query

# CREATE TABLE

```
CREATE TABLE <table_name> AS  
  <SELECT STATEMENT>
```

Guess the schema:

```
CREATE TABLE used_boats1 AS  
  SELECT r.bid  
  FROM   Sailors s,  
         Reservations r  
  WHERE  s.sid = r.sid
```

```
used_boats1(bid int)
```

```
CREATE TABLE used_boats2 AS  
  SELECT r.bid as foo  
  FROM   Sailors s,  
         Reservations r  
  WHERE  s.sid = r.sid
```

```
used_boats2(foo int)
```

How is this different than views?

What if we insert a new record into Reservations?

# Summary

SQL is pretty complex

Superset of Relational Algebra SQL99 turing complete!

Human readable

More than one way to skin a horse

Many alternatives to write a query

Optimizer (theoretically) finds most efficient plan

